





BF-603D WG Reader



- High performance, BF-603D, RFID reader is with stylish design, can be widely applied to Offices, Household securities, Personal Identification, Access control system.
- RFID Card Type: EM and Compatible type MIFARE 1
- Card Format: 125K/13.56MHz
- Active Distance: EM 18cm , Mifare 5cm
- Time for card verification: 100ms
- Power consumption: Avg. 30mA
- Communication: W26/W34
- LED: 1
- Operation power requirement: 7~17VDC
- Weight: 130g.
- Dimension: 115 x 75 x 23 mm
- Product Type:
BF-603DEW
BF-603DMW

<input type="checkbox"/> BF-603A-EW <input type="checkbox"/> BF-603A-MW		RED: +12V VCC BLACK: GND GREEN: DATA0 YELLOW: DATA1 WHITE: LED BLUE: BUZZER BROWN: HOLD GRAY: FORMAT ↘ Communication (Gray & Black) Short: WG34 Open: WG26	<input type="checkbox"/> BF-603B-EW <input type="checkbox"/> BF-603B-MW	<input type="checkbox"/> BF-603C-EW <input type="checkbox"/> BF-603C-MW	<input type="checkbox"/> BF-603D-EW <input type="checkbox"/> BF-603D-MW																																																																											
			<input type="checkbox"/> WG34 <input type="checkbox"/> WG26	<input type="checkbox"/> WG34 <input type="checkbox"/> WG26	<input type="checkbox"/> WG34 <input type="checkbox"/> WG26																																																																											
<table border="1"> <thead> <tr> <th>Color</th> <th>EM</th> <th>Mifare</th> </tr> </thead> <tbody> <tr> <td>RED</td> <td colspan="2">+9~15 VDC</td> </tr> <tr> <td>BLACK</td> <td colspan="2">GND</td> </tr> <tr> <td>GREEN</td> <td>DATA0</td> <td>R+</td> </tr> <tr> <td>WHITE</td> <td>DATA1</td> <td>R-</td> </tr> <tr> <td>BROWN</td> <td>HOLD</td> <td></td> </tr> <tr> <td>GRAY</td> <td>BUZZER</td> <td></td> </tr> <tr> <td>BLUE</td> <td>LED</td> <td></td> </tr> </tbody> </table> 			Color	EM	Mifare	RED	+9~15 VDC		BLACK	GND		GREEN	DATA0	R+	WHITE	DATA1	R-	BROWN	HOLD		GRAY	BUZZER		BLUE	LED		<table border="1"> <thead> <tr> <th>Color</th> <th>EM</th> <th>Mifare</th> </tr> </thead> <tbody> <tr> <td>RED</td> <td colspan="2">+9~15 VDC</td> </tr> <tr> <td>BLACK</td> <td colspan="2">GND</td> </tr> <tr> <td>GREEN</td> <td>DATA0</td> <td>R+</td> </tr> <tr> <td>WHITE</td> <td>DATA1</td> <td>R-</td> </tr> <tr> <td>BROWN</td> <td>HOLD</td> <td></td> </tr> <tr> <td>GRAY</td> <td>BUZZER</td> <td></td> </tr> <tr> <td>BLUE</td> <td>LED</td> <td></td> </tr> </tbody> </table> 			Color	EM	Mifare	RED	+9~15 VDC		BLACK	GND		GREEN	DATA0	R+	WHITE	DATA1	R-	BROWN	HOLD		GRAY	BUZZER		BLUE	LED		<table border="1"> <thead> <tr> <th>Color</th> <th>EM</th> <th>Mifare</th> </tr> </thead> <tbody> <tr> <td>RED</td> <td colspan="2">+9~15 VDC</td> </tr> <tr> <td>BLACK</td> <td colspan="2">GND</td> </tr> <tr> <td>GREEN</td> <td>DATA0</td> <td>R+</td> </tr> <tr> <td>WHITE</td> <td>DATA1</td> <td>R-</td> </tr> <tr> <td>BROWN</td> <td>HOLD</td> <td></td> </tr> <tr> <td>GRAY</td> <td>BUZZER</td> <td></td> </tr> <tr> <td>BLUE</td> <td>LED</td> <td></td> </tr> </tbody> </table> 			Color	EM	Mifare	RED	+9~15 VDC		BLACK	GND		GREEN	DATA0	R+	WHITE	DATA1	R-	BROWN	HOLD		GRAY	BUZZER		BLUE	LED	
Color	EM	Mifare																																																																														
RED	+9~15 VDC																																																																															
BLACK	GND																																																																															
GREEN	DATA0	R+																																																																														
WHITE	DATA1	R-																																																																														
BROWN	HOLD																																																																															
GRAY	BUZZER																																																																															
BLUE	LED																																																																															
Color	EM	Mifare																																																																														
RED	+9~15 VDC																																																																															
BLACK	GND																																																																															
GREEN	DATA0	R+																																																																														
WHITE	DATA1	R-																																																																														
BROWN	HOLD																																																																															
GRAY	BUZZER																																																																															
BLUE	LED																																																																															
Color	EM	Mifare																																																																														
RED	+9~15 VDC																																																																															
BLACK	GND																																																																															
GREEN	DATA0	R+																																																																														
WHITE	DATA1	R-																																																																														
BROWN	HOLD																																																																															
GRAY	BUZZER																																																																															
BLUE	LED																																																																															

